

Restocking overview



	Actions	Good	Wrong	Next	Questions
FARM	Non domestication	OK (strong natural instinct, live food, hiding zone)	Long term transparent aquarium keeping		
	Habitat immersion	Agde (1,5month)	Marseille, Sublimo (<1month)	immersion period before release depends on fooling rate	
	Tag for monitoring	Survival rate ok after taging	tail yellow tag => increase mutilation/predation	Not on tail, not yellow, not too big, may be not elastomer	But tag are really needed?
	Food source on released habitat	Agde (yes), Brusc (natural habitat)	Marseille, Sublimo	2 to 3 months in Marseille	in tropical areas?
	Release size	OK (6-8cm)	Marseille, Sublimo (4-5 cm)	Increase water temperature of growth	Can we say sparids refuge size is at least 6 cm?
	Fish transfert	Marseille, Agde	Sublimo	fish must be in good condition	Opening the fish traps few hours after enough?
RELEASE	Depth of release	Agde, Marseille (7-9m max) - Sublimo (11m)	Sublimo (18m)	8m in Marseille same site	What about in shallow water?
	Water condition	Agde, Marseille	Sublimo (Too rought, bad visibility)	calm and clean day	vision cue is important for predator escape?
	Surrounding habitat	Marseille, Brusc	Agde, Sublimo	distance from seagrass bed again tested	advantage or inconvenient?
	Predator attack at release time	during the day	during the night !!!	protect artificial released habitat for 24h	
	Survival rate	Agde, Marseille (40-50%)	Sublimo 10%, Brusc 0%	improve protocol because of numerous previous mistake	Natural habitat release diifcult to monitore?